# ICSE Board Class X Chemistry Board Paper - 2014

Time: 1½ hrs Total Marks: 80

#### General Instructions:

- Answers to this paper must be written on the paper provided separately.
- You will NOT be allowed to write during the first 15 minutes. This time is to be spent in reading the question paper.
  - The time given at the head of this paper is the time allowed for writing the answers.
  - This question paper is divided into two sections.
- Section I contains one question with parts (a) to (h); all the eight parts are to be answered.
- Section II contains six questions numbered 2 to 7. You are to answer any four of these
  questions.

The intended marks of questions or for parts of questions are given in brackets [].

## SECTION I (40 Marks)

Attempt all questions from this section.

#### Question 1

(a) Choose the correct answer from the options given below:

- [10]
- Ionisation potential increases over a period from left to right because the
  - A. Atomic radius increases and nuclear charge increases
  - B. Atomic radius decreases and nuclear charge decreases
  - C. Atomic radius increases and nuclear charge decreases
  - Atomic radius decreases and nuclear charge increases
- ii. A compound X consists of only molecules. Hence, X will have
  - A crystalline hard structure
  - B. A low melting point and low boiling point
  - C. An ionic bond
  - D. A strong force of attraction between its molecules
- iii. When fused lead bromide is electrolysed, we observe
  - A. A silver grey deposit at the anode and a reddish brown deposit at the cathode
  - B. A silver grey deposit at the cathode and a reddish brown deposit at the anode
  - C. A silver grey deposit at the cathode and reddish brown fumes at the anode
  - D. Silver grey fumes at the anode and reddish brown fumes at the cathode
- iv. The main ore used for the extraction of iron is
  - A. Haematite
  - B. Calamine
  - C. Bauxite
  - D. Cryolite

| v.    | Heating an ore in a limited supply of air or in the absence of air at a temperature just |  |  |  |  |
|-------|--|--|--|--|--|
|       | below its melting point is known as  |  |  |  |  |
|       | A. Smelting  |  |  |  |  |
|       | B. Ore dressing  |  |  |  |  |
|       | C. Calcination   |  |  |  |  |
|       | D. Bessemerisation   |  |  |  |  |
| vi.   | If an element A belongs to Period 3 and Group II, then it will have                      |  |  |  |  |
|       | A. 3 shells and 2 valence electrons  |  |  |  |  |
|       | B. 2 shells and 3 valence electrons  |  |  |  |  |
|       | C. 3 shells and 3 valence electrons  |  |  |  |  |
|       | D. 2 shells and 2 valence electrons  |  |  |  |  |
| vii.  | The molecule containing a triple covalent bond is  |  |  |  |  |
|       | A. Ammonia   |  |  |  |  |
|       | B. Methane   |  |  |  |  |
|       | C. Water   |  |  |  |  |
|       | D. Nitrogen  |  |  |  |  |
| viii. | The electrolyte used for electroplating an article with silver is                        |  |  |  |  |
|       | A. Silver nitrate solution   |  |  |  |  |
|       | B. Silver cyanide solution   |  |  |  |  |
|       | C. Sodium argentocyanide solution  |  |  |  |  |
|       | D. Nickel sulphate solution  |  |  |  |  |
| ix.   | Aluminium powder is used in thermite welding because                                     |  |  |  |  |
|       | A. It is a strong reducing agent.  |  |  |  |  |
|       | B. It is a strong oxidising agent.   |  |  |  |  |
|       | C. It is corrosion resistant.  |  |  |  |  |
|       | D. It is a good conductor of heat.   |  |  |  |  |
| X.    | The IUPAC name of acetylene is   |  |  |  |  |
|       | A. Propane   |  |  |  |  |
|       | B. Propyne   |  |  |  |  |
|       | C. Ethene  |  |  |  |  |
|       | D. Ethyne  |  |  |  |  |
| b) Fi | ill in the blanks from the choices given within brackets:                                |  |  |  |  |
|       | The basicity of acetic acid is (3, 1, 4).  |  |  |  |  |
|       | The compound formed when ethanol reacts with sodium is (sodium ethanoate,                |  |  |  |  |
|       | sodium ethoxide, sodium propanoate).   |  |  |  |  |
| iii.  | Quicklime is not used to dry HCl gas because (CaO is alkaline, CaO is acidic, CaO        |  |  |  |  |
|       | is neutral).   |  |  |  |  |
| iv.   | Ammonia gas is collected by (an upward displacement of air, a downward                   |  |  |  |  |
| 241   | displacement of water, a downward displacement of air).                                  |  |  |  |  |
| v.    | Cold, dilute nitric acid reacts with copper to form (hydrogen, nitrogen dioxide,         |  |  |  |  |
| •     | nitric oxide). [5]   |  |  |  |  |
|       |  |  |  |  |  |

- (c) Give one word or phrase for the following:
  - The ratio of the mass of a certain volume of gas to the mass of an equal volume of hydrogen under the same conditions of temperature and pressure
  - ii. Formation of ions from molecules
  - iii. Electrolytic deposition of a superior metal on a baser metal
  - iv. Hydrocarbons containing a C functional group
  - v. The amount of energy released when an atom in the gaseous state accepts an electron to form an anion
    [5]

[5]

[5]

(d) Match the options A to E with the statements (i) to (v):

| A | Alkyne                   | (i)   | No. of molecules in 22.4 dm-3 of carbon<br>dioxide at STP |
|---|--------------------------|-------|---|
| В | Alkane                   | (ii)  | An element with electronic configuration 2,8,8,3          |
| С | Iron                     | (iii) | CnH2n + 2   |
| D | 6.023 × 10 <sup>23</sup> | (iv)  | $C_nH_{2n-2}$   |
| E | Metal                    | (v)   | The metal which forms two types of ions                   |

- (e) Write balanced equations for the following:
  - i. Action of heat on a mixture of copper and concentrated nitric acid
  - ii. Action of warm water on magnesium nitride
  - iii. Action of concentrated sulphuric acid on carbon
  - iv. Action of dilute hydrochloric acid on sodium sulphide
  - v. Preparation of ethane from sodium propionate
- (f) Distinguish between the following pairs of compounds using the test given within brackets:
  - i. Iron (II) sulphate and iron (III) sulphate (using ammonium hydroxide)
  - ii. A lead salt and a zinc salt (using excess ammonium hydroxide)
  - iii. Sodium nitrate and sodium sulphite (using dilute sulphuric acid)
  - Dilute sulphuric acid and dilute hydrochloric acid (using barium chloride solution)
  - v. Ethane and ethene (using alkaline potassium permanganate solution) [5]

(g)

i. Oxygen oxidises ethyne to carbon dioxide and water as shown by the equation:

What volume of ethyne gas at STP is required to produce  $8.4 \text{ dm}^3$  of carbon dioxide at STP? [H = 1, C = 12, O = 16]


ii. A compound made up of two elements X and Y has an empirical formula X<sub>2</sub>Y. If the atomic weight of X is 10 and that of Y is 5 and the compound ha a vapour density 25, find its molecular formula.
[5]

#### SECTION II (40 Marks)

Attempt any four questions from this section.

#### Question 2

- (a) State your observation in each of the following cases:
  - i. When dilute hydrochloric acid is added to sodium carbonate crystals.
  - ii. When excess sodium hydroxide is added to calcium nitrate solution.
  - At the cathode, when acidified aqueous copper sulphate solution is electrolysed with copper electrodes.
  - iv. When calcium hydroxide is heated with ammonium chloride crystals.
  - v. When moist starch iodide paper is introduced into chlorine gas.
- [5]
- (b) Study the figure given below and answer the questions which follow:



- i. Identify the gas Y.
- ii. What property of gas Y does this experiment demonstrate?
- Name another gas which has the same property and can be demonstrated through this experiment.
- (c)
- i. Name the other ion formed when ammonia dissolves in water.
- ii. Give one test which can be used to detect the presence of the ion produced. [2]

## Question 3

- (a) State the conditions required for the following reactions to take place:
  - i. Catalytic hydrogenation of ethyne
  - ii. Preparation of ethyne from ethylene dibromide
  - iii. Catalytic oxidation of ammonia to nitric oxide
  - Any two conditions for the conversion of sulphur dioxide to sulphur trioxide
- (b) State the main components of the following alloys:
  - Brass
  - ii. Duralumin
  - iii. Bronze [3]
- (c) Give balanced equations for the following:
  - i. Laboratory preparation of nitric acid
  - ii. Preparation of ethanol from monochloroethane and aq. sodium hydroxide [2]

## Question 4

|        | ive the structural formula of the following:  |     |
|--------|---|-----|
|        | Ethanol   |     |
|        | 1-propanal  |     |
|        | Ethanoic acid   |     |
| iv.    | 1, 2-dichloroethane   | [4] |
| (b) D  | raw the structure of the stable positive ion formed when an acid dissolves in water.  | [2] |
| (c) St | tate the inference drawn from the following observations:                             |     |
| i.     | On carrying out the flame test with a salt P, a brick red flame was obtained. What is | the |
|        | cation in P?  |     |
| ii.    | A gas Q turns moist lead acetate paper silvery black. Identify the gas Q.             |     |
| iii.   | pH of liquid R is 10. What kind of substance is R?                                    |     |
| iv.    | Salt S is prepared by reacting dilute sulphuric acid with copper oxide. Identify S.   | [4] |
| Questi | ion 5   |     |
| (a) Na | ame the following:  |     |
|        | The property possessed by metals by which they can be beaten into sheets.             |     |
|        | A compound added to lower the fusion temperature of electrolytic bath in              | the |
|        | extraction of aluminium.  |     |
| ***    | The ore of zinc containing its sulphide.  | [3] |
| ****   | The ore of Zinc containing its surplines.   |     |
| (b) Gi | ve one equation each to show the following properties of sulphuric acid:              |     |
|        | Dehydrating property  |     |
|        | Acidic nature   |     |
|        | As a non-volatile acid  | [3] |
|        | 115 d 1011 Vollatie deld  | [-] |
| (c) Gi | ve balanced chemical equations to prepare the following salts:                        |     |
|        | Lead sulphate from lead carbonate   |     |
| ii.    | Sodium sulphate using dilute sulphuric acid   |     |
|        | Copper chloride using copper carbonate  | [3] |
|        |   |     |
| Questi | ion 6   |     |
| (a)    |   |     |
|        | State Avogadro's Law.   |     |
|        | A cylinder contains 68 g of ammonia gas at STP.                                       |     |
|        | a. What is the volume occupied by this gas?   |     |
|        | b. How many moles of ammonia are present in the cylinder?                             |     |
|        | c. How many molecules of ammonia are present in the cylinder?                         |     |
|        | [N = 14, H = 1]   | [4] |
| (ь)    |   |     |
|        | Why do covalent compounds exist as gases, liquids or soft solids?                     |     |
|        |   | [e] |
| 11.    | Which electrode—anode or cathode—is the oxidising electrode? Why?                     | [3] |
| (c) Na | ame the kind of particles present in  |     |
|        | Sodium hydroxide solution   |     |
|        | Carbonic acid   |     |
|        | Sugar solution  | [3] |
|        | -   |     |

#### Question 7

- (a) An element Z has atomic number 16. Answer the following questions on Z:
  - i. State the period and group to which Z belongs.
  - ii. Is Z a metal or a non-metal?
  - iii. State the formula between Z and hydrogen
  - iv. What kind of a compound is this?

[5]

- (b) M is a metal above hydrogen in the activity series and its oxide has the formula M<sub>2</sub>O. This oxide when dissolved in water forms the corresponding hydroxide which is a good conductor of electricity. In the above context, answer the following:
  - i. What kind of combination exists between M and O?
  - ii. How many electrons are there in the outermost shell of M?
  - iii. Name the group to which M belongs.
  - iv. State the reaction taking place at the cathode.
  - v. Name the product at the anode.

[5]