CHEMISTRY PAPER 1 (THEORY)

PART I (20 Marks)

Answer all questions.

U		п		

(a)	braci	in the blanks by choosing the appropriate word/words from those given in the kets:	[5]
	penta	eases, formic acid, decreases, less, zero, small, paired, atoms, unpaired, ions, agonal bipyramidal, electrical, more, ethylamine, molecules, propanoic acid, sylamine, chemical)	
	(i)	An electrochemical cell converts energy to energy.	
	(ii)	The crystal of graphite is made up of while that of sodium chloride is made up of	
	(iii)	Ethyl isocyanide, on hydrolysis with dilute sulphuric acid, gives	
		and	
	(iv)	The molar conductance of a solution with dilution, while its	
		specific conductance with dilution.	
	(v)	The Van't Hoff factor of acetic acid solution isthan one and the value of normal colligative property is than the observed colligative property of this solution.	
(b)		plete the following statements by selecting the correct alternative from the [ces given:-	[5]
	(i)	Of the following terms used for denoting concentration of a solution, the one which does not get affected by temperature is:	
		(1) Molarity	
		(2) Molality	
		(3) Normality	
		(4) Formality	
	(ii)	The solubility of calcium hydroxide is s mol litre ⁻¹ . The solubility product under the same condition will be:	
		(1) 4s ³	
		(2) 2s ³	
		(3) 2s ²	
		(4) s ³	

(iii)	_		n 2 hours. The weight of coppe by the same current through coppe	
	(1) 63-5 g			
	(2) 31-8 g			
	(3) 15.9 g			
	(4) 15.5 g			
(iv)	Natural rubber is a:			
	(1) Polyester			
	(2) Polyamide			
	(3) Polyisoprene			
	(4) Polysaccharide			
(v)	Among the following halogen	s, the one which	n does not form an oxyacid is:	
	(1) Fluorine			
	(2) Chlorine			
	(3) Bromine			
	(4) Iodine			
Ans	wer the following questions:			[5]
		on of an acid u	nose off is 5 at 25%C2	1-1
(i)	What is the [OH] concentration		-	
(ii)	what happens when a nickel : your answer.	rod is dipped in	to a copper sulphate solution? Justif	У
	$\[E_{N^{*2}/Ni}^{0} = -0.25v \text{ and } E_{Cu^{*2}/Cu}^{0}\]$	=+0·34v		
(iii)	Write the equation for the pre	paration of acid	anilide from aniline.	
(iv)	Define Raoult's law for the el	evation of boili	ng point of a solution.	
(v)		anion is preser	and B anions. If A cations are present on the body of the diagonal, what i	
Mate	h the following:			[5]
(i)	Motal depression constant	(a)	Infinite dilution	
(ii)	Acetaldehyde	(b)		
	Rate of reaction	(c)	Iodoform	
	Optical activity	(d)		
(v)	Kohlrausch's law	(e)	Lactic acid	
		(-)		

(c)

(d)

PART II (50 Marks)

Answer six questions choosing two from Section A, two from

Section B and two from Section C.

SECTION A

Answer any two questions.

Question 2

- (a) (i) What will be the vapour pressure of a solution containing 5 moles of sucrose [3] (C₁₂H₂₂O₁₁) in 1 kg of water, if the vapour pressure of pure water is 4.57 mm of Hg? [C = 12, H = 1, O = 16]
 - (ii) A 2 modal solution of sodium chloride in water causes an elevation in the boiling point of water by 1.88 K. What is the value of Van't Hoff factor? What does it signify? [K_b = 0.52 K kg mol⁻¹]
- (b) (i) Write the mathematical expression relating the variation of rate constant of a [4] reaction with temperature.
 - (ii) How can you graphically find the activation energy of the reaction from the above expression?
 - (iii) The slope of the line in the graph of $\log k$ (k = rate constant) versus $\frac{1}{T}$ is -5841. Calculate the activation energy of the reaction.

[1]

[4]

[2]

[1]

(c) Define Frenkel defect in solid crystal.

Question 3

- (a) Explain giving reasons why:
 - Ionic solids conduct electricity in molten state, but not in solid state.
 - Solution of sodium chloride has no effect on litmus, but a solution of zinc chloride turns blue litmus red.
- (b) In a crystal of diamond:
 - (i) How many carbon atoms are present per unit cell?
 - (ii) What type of lattice does diamond crystallize in?
 - (iii) How many carbon atoms surround each carbon atom?
 - (iv) How are they arranged?
- (c) (i) What is standard hydrogen electrode?
 - (ii) 0.05 M NaOH solution offered a resistance of 31.6 ohm in a conductivity cell at [3] 298 K. If the cell constant of the cell is 0.367 cm⁻¹, calculate the molar conductivity of the NaOH solution.

Question 4

(a)	 (i) K_c for the reaction SO_{2(g)} + ½O_{2(g)} ⇒ SO_{3(g)} is 61.7 at 60°C. What is its unit? Calculate K_g for the reaction and write its unit. 	[3]
	(ii) What happens to the equilibrium in a reversible reaction if a catalyst is added to it?	[1]
(b)	State the effect of the following on the reaction $2SO_{2(g)}+O_{2(g)} \rightleftharpoons 2SO_{3(g)}+189.4 \text{ kJ}$ at equilibrium:	[2]
	 Temperature is increased. 	
	(ii) Concentration of SO₂ is increased.	
	(iii) Pressure is decreased.	
	(iv) Helium is added at constant pressure.	
(c)	(i) 0.3605 g of a metal is deposited on the electrode by passing 1-2 amperes of current for 15 minutes through its salt solution. The atomic weight of the metal is 96. What is the valency of the metal?	[3]
	(ii) Explain why phenolphthalein is used as an indicator in acid-base titration.	[1]
	SECTION B	
	Answer any two questions	
Que	estion 5	
(a)	Write the formula of the following compounds:	[2]
	(i) Triamminetriaquachromium(III)chloride	
	(ii) Potassiumhexacyanoferrate(III)	
(b)	Name the types of isomerism shown by the following pairs of compounds:	[2]
	$(i) [CoCl(H_2O)(NH_3)_4]Cl_2 \text{ and } [CoCl_2(NH_3)_4]Cl.H_2O$	
	$(ii) [Pt(NH_3)_4][PtCl_6] \qquad and [Pt(NH_3)_4Cl_2][PtCl_4] \\$	
(c)	For the complex ion of [Co(NH ₃) ₆] ³⁺ :	[1]
	 State the hybridisation of the complex. 	
	(ii) State the magnetic nature of the complex.	
Que	stion 6	
(a)	Write balanced chemical equations for the following reactions:	[3]
	(i) Ozone and lead sulphide.	
	 (ii) Chlorine is passed through hot concentrated NaOH solution. (iii) Sulphuric acid is treated with phosphorous. 	
		[2]
(b)	Give reasons for the following:	
(b)	(i) Zn ⁺² salts are white but Cu ²⁺ salts are blue in colour.	[-]

_						
		_	•	-	-	
	 _	•		•		

(a)		s potassium dichromate prepared from a sample of chromite ore? Give balanced ons for the chemical reactions involved.	
(b)	For the	molecule IF ₇ :	
. ,	(i)	Draw the structure of the molecule.	
	(ii)	State the hybridisation of the central atom.	
	(iii)	State the geometry of the molecule.	
		SECTION C	
_		Answer any two questions.	
	estion 8		
(a)		can the following conversions be brought about:	
	(i)	Acetic acid to methyl cyanide.	
		Acetaldehyde to formaldehyde.	
	(iii)	Nitrobenzene to 2, 4, 6 tribromoaniline.	
		'C. W	
(b)		ify the reagents A, B, C, D, E and F required for the following conversion: A B C D H ₂ SO ₄ NO ₂ \longrightarrow C ₆ H ₄ NH ₂ \longrightarrow C ₆ H ₄ N ₂ ⁺ CI \longrightarrow C ₆ H ₄ Cl \longrightarrow C ₆ H ₄ OH \longrightarrow E + F	7
		ify the reagents A, B, C, D, E and F required for the following conversion: A B C D H ₂ SO ₄ NO ₂ NO ₂ C ₆ H ₃ NH ₂ C ₆ H ₃ OH E + F	7
	C ₆ H ₅ l		•
Que	C ₆ H ₃ l estion 9 The de	$\begin{array}{c} A \\ NO_2 \stackrel{A}{\longrightarrow} C_6H_5NH_2 \stackrel{B}{\longrightarrow} C_6H_5N_2^{\dagger}C1 \stackrel{C}{\longrightarrow} C_6H_5C1 \stackrel{D}{\longrightarrow} C_6H_5OH \stackrel{H_2SO_4}{\longrightarrow} E + F \end{array}$	
Que	C ₆ H ₃ l estion 9 The de	$A \longrightarrow C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+C1^- \xrightarrow{C} C_6H_5C1 \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases:	7
Que	C ₆ H ₃ l estion 9 The d (i) (ii)	$A \longrightarrow C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+C1^- \xrightarrow{C} C_6H_5C1 \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases: Scurvy	7
Que	C ₆ H ₃ l estion 9 The de (i) (ii) Give o	$A \longrightarrow C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+CI \xrightarrow{C} C_6H_5CI \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases: Scurvy Haemonthages	7
Que	C ₆ H ₃ l estion 9 The de (i) (ii) Give o	$A \to C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+CI \xrightarrow{C} C_6H_5CI \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases: Scurvy Haemonthages one chemical test to distinguish between the following pairs of compounds:	7
Que	C ₆ H ₃ l estion 9 The de (i) (ii) Give (i) (ii)	$A \to C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+CI \xrightarrow{C} C_6H_5CI \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases: Scurvy Haemonthages one chemical test to distinguish between the following pairs of compounds: Ethanol and 2 propanol.	7
Que (a) (b) (c)	C ₆ H ₃ l estion 9 The de (i) (ii) Give (i) (ii) Write	$A \to C_6H_3NH_2 \xrightarrow{B} C_6H_3N_2^+C\Gamma \xrightarrow{C} C_6H_3C1 \xrightarrow{D} C_6H_3OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases: Scurvy Haemorrhages one chemical test to distinguish between the following pairs of compounds: Ethanol and 2 propanol. Aniline and ethylamine. the structures of all enantiomers possible for factic acid.	
Que (a) (b)	C ₆ H ₃ l estion 9 The de (i) (ii) Give o (ii) Write	$A \to C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+C1 \xrightarrow{C} C_6H_5C1 \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases: Scurvy Haemonthages one chemical test to distinguish between the following pairs of compounds: Ethanol and 2 propanol. Aniline and ethylamine. the structures of all enantiomers possible for factic acid.	
Que (a) (b) (c)	C ₆ H ₃ l estion 9 The de (i) (ii) Give of (ii) Write Give b	$A \to C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+C\Gamma \xrightarrow{C} C_6H_5C1 \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E+F$ efficiency of which vitamin will cause the following diseases: Scurvy Haemorrhages one chemical test to distinguish between the following pairs of compounds: Ethanol and 2 propanol. Aniline and ethylamine. the structures of all enantiomers possible for factic acid. Acetaldehyde is heated with hydroiodic acid in the presence of red phosphorous.	7
Que (a) (b) (c)	C ₆ H ₃ l estion 9 The de (i) (ii) Give o (ii) Write Give b (i) (ii)	$A \to C_6H_5NH_2 \xrightarrow{B} C_6H_5N_2^+C1 \xrightarrow{C} C_6H_5C1 \xrightarrow{D} C_6H_5OH \xrightarrow{H_2SO_4} E + F$ efficiency of which vitamin will cause the following diseases: Scurvy Haemonthages one chemical test to distinguish between the following pairs of compounds: Ethanol and 2 propanol. Aniline and ethylamine. the structures of all enantiomers possible for factic acid.	7

Question 10

- (a) An organic compound A with molecular formula C₇H₈ on oxidation by chromylchloride in the presence of CCl₄ gives a compound B which gives positive tollen's test. The compound B on treatment with NaOH followed by acid hydrolysis gives two products C and D. C on oxidation gives B which on further oxidation gives D. The compound D on distillation with sodalime gives a hydrocarbon E. Below 60°C, concentrated nitric acid reacts with E in the presence of concentrated sulphuric acid forming a compound F. Identify the compounds A, B, C, D, E and F.
- (b) Give balanced equations for the following name reactions: [3]
 - Clemmensen's reduction.
 - (ii) Kolbe's electrolytic reaction.
 - (iii) Balz-Schiemann's reaction.
- (c) (i) What do you observe when glucose is treated with bromine water? [2]

[2]

- (ii) What is isoelectric point?
- (d) Answer the following:
 - (i) What is biuret test?
 - Write balanced equation for the formation of biuret.